

TREE SPECIES (SCIENTIFIC NAME)

Alstonia angustiloba

ENGLISH COMMON NAME

Pulai

INDONESIAN COMMON NAME

Pulai hitam, Pulai darat (Java)

TREE FAMILY

APOCYNACEAE

AVERAGE LEAF SIZE (CM)

13cm × **4.5cm**
Length Width

DISTRIBUTION



NATIVE TO INDONESIA

ELEVATIONAL RANGE (M)

0–200m

TREE HEIGHT

LARGE (> 35M)



NATIVE TO

Region: Asia

Malaysia, Thailand

Indonesia: Borneo, Java, Sumatra

COFFEE AGROFORESTRY INFORMATION

COFFEE SYSTEM



ROBUSTA



ARABICA

COFFEE IMPACT

Unknown

TREE MANAGEMENT

Occurs on a wide variety of soils and is common in mixed dipterocarp forest on low hills and undulating land, and in freshwater swamp forest up to 200 m altitude. It becomes abundant in secondary forest. Fast-growing and light demanding. Can be propagated by cuttings.

REGENERATION

Unknown

CULTIVATION



PLANTED

PREVALENCE



COMMON IN COFFEE AGROFORESTRY

TREE BENEFITS AND USES

FARMER USES



Fuelwood, Lumber, Medicinal

The stem, latex, and leaves are used to treat gynecological problems and skin sores, the leaves are externally applied to the spleen area to treat remittent fever, and the bark is pounded to make an extract used as an ingredient of fever reducing and antiparasitic drugs.

FARM SERVICES

Unknown

BIODIVERSITY BENEFITS

Unknown

Last Updated: April 26, 2021